

Amendments to the Claims

1-19. (Cancelled)

20. (New) A method for processing decomposed polyol, which decomposed polyol is produced in a process for decomposing and recovering a polyurethane resin comprising a hydrolyzing process for hydrolyzing the polyurethane resin to obtain a decomposed product containing the decomposed polyol, and a recovering process for recovering the decomposed product produced by the hydrolysis,

said method for processing the decomposed polyol comprising adding a urea, in the recovering process, to the decomposed polyol, wherein the urea inactivates amines contained in the decomposed polyol.

21. (New) The method according to Claim 20, wherein the urea is added in a proportion of 0.4-1.5 equivalents per equivalent of amino group of the amines contained in the decomposed polyol.

22. (New) The method according to Claim 20, wherein the decomposed polyol containing the amines is a polyoxyalkylene polyol.

23. (New) The method according to Claim 20, wherein the content of the amines in the decomposed polyol after addition of urea is 5 weight % or less.